

ST-200CL[®] Plus

Electrolyte Analyzer



RELIABLE **E**ASY TO USE
EASY TO AFFORD

SENSA  CORE[®]

Features

- ★ Compact, Economical and Easy to use
- ★ Excellent precision and reliability
- ★ Long life, maintenance-free electrodes
- ★ Automatic calibration
- ★ Intelligent reagent pack with electronic chip
- ★ Optional battery backup
- ★ Extremely low cost per test
- ★ High precision pump with more durable tubing
- ★ Inbuilt numeric patient ID feature
- ★ User friendly interfacing to computer or LIS

Parameter	Measuring Range Blood	Reproducibility (CV%)	Measuring Range Urine	Reproducibility (CV%)
Na ⁺	20.0 - 250.0 mmol/L	< 1.0%	25.0 - 1000.0 mmol/L	< 5.0%
K ⁺	0.20 - 40.0 mmol/L	< 2.0%	1.0 - 500.0 mmol/L	< 5.0%
Cl ⁻	20.0 - 200.0 mmol/L	< 1.0%	25.0 - 500.0 mmol/L	< 5.0%
iCa ⁺⁺	0 - 10.0 mmol/L	< 2.0%	***	***
Li	0 - 10.0 mmol/L	< 2.0%	***	***
pH	5 - 8	< 2.0%	***	***

Specifications

- Principle : Direct measurement with ion selective electrode (ISE).
- Parameter conversion : This functionality allows quick change of analyte.
- Sample : Whole blood, serum, plasma, CSF and diluted urine. for diluted (1:5) urine 500 micro liter.
- Sample Volume : 140 micro liter.
- Measuring time : 60 sec.
- Throughput : 55 Samples / Hour .
- Data Storage : 10,000 Sample, 250 Urine, 100 QC.
- Ambient conditions : Temperature: 5°C - 40°C , <85% non-condensing humidity.
- Output : 128x64 graphics display with numeric keypad, 24 column thermal printer, Serial USB port.
- Input voltage : 100/115-VAC, 50-60 Hz or 220-VAC, 50-60 Hz, 0.75 amp.
- Size & Weight : 15.1" W x 13.2" H x 7.5" D, 4 kg.
- Battery : Optional for 2 hours backup.



Electrolyte Analyzer Models

Electrode Parameters							
BD	BD	BD	BD	BD	BD	BD	BD
K	K	K	K	K	K	K	K
Na	Na	Na	Na	Na	Na	Na	Na
B	B	iCa	iCa	iCa	iCa	iCa	iCa
B	B	B	B	Li	B	Li	pH
B	Cl	B	Cl	B	pH	pH	Cl
①	②	③	④	⑤	⑥	⑦	⑧

Note: Please Arrange The Electrodes As Per The Parameter Selection

8 Parameters for 5 Channels Analyzer

